



-WELDED STEEL CAP

**ELEVATION** 

PLAN

1-1/2" = 1'-0" 4

`─3"x 3" STEEL POST

10-20-11 OWNER REVIEW 10-24-11 LANDLORD REVIEW 11-03-11 ISSUED FOR PERMIT/ PRICING

9575 Katy Frwy., #200 Houston, Texas 77024

CONSULTANTS

A. REVIEW DOCUMENTS, VERIFY DIMENSIONS AND FIELD CONDITIONS, AND CONFIRM THAT WORK IS BUILDABLE AS SHOWN. THE GENERAL CONTRACTOR SHALL REPORT ANY CONFLICTS OR OMISSIONS TO THE ARCHITECT FOR CLARIFICATION PRIOR TO PERFORMING ANY WORK IN

QUESTION, THE CONTRACTOR SHALL RESPONSIBLE FOR OBTAINING CLARIFICATIONS FROM THE ARCHITECT.

FINISH FACE, U.N.O. MAINTAIN DIMENSIONS MARKED CLEAR. ALLOW FOR THE THICKNESS OF FINISHES AS

D. COORDINATE, PROVIDE AND INSTALL FIRE TREATED WOOD BLOCKING FOR MILLWORK, KITCHEN EQUIPMENT, LIGHT FIXTURES, ACCESSORIES AND MISC. EQUIPMENT ATTACHED OR MOUNTED TO WALLS OR CEILINGS. SEE KITCHEN EQUIPMENT PLAN AND INTERIOR ELEVATIONS FOR ADDITIONAL ITEMS WHICH REQUIRE BLOCKING.

E. ALL CONSTRUCTION TO COMPLY WITH ALL APPLICABLE BUILDING CODES, REGULATIONS, & CITY ORDINANCES.

EXISTING FIRE RATINGS ARE TO BE MAINTAINED, ALL PENETRATIONS THROUGH FIRE RATED PARTITIONS ARE TO BE FIRE SEALED.

G. RECESSED ITEMS (GREATER THAN 16 SQ. IN.) IN RATED AND/OR SMOKE WALLS, SHALL BE BACKED WITH 5/8"
TYPE "X" GYP, BD, TO MAINTAIN RATING FOR WALL.

H. ALL SCREENED AREAS ARE EXISTING TO REMAIN,

ANY AND ALL PENETRATIONS THROUGH A FIRE RATED WALL MUST BE SEALED WITH FIRE CAULK EQUAL TO OR GREATER THAN THE PARTITIONS RATING.

J. FULL HEIGHT WALLS: 20 GA. STEEL STUDS @ 16"O.C. EXTEND 6" ABOVE HIGHEST ADJACENT CEILING & BRACE TO STRUCTURE ABOVE TO

K. ALL EXPOSED INTERIOR COLUMNS TO BE PRIMED

ARCHITECTS, LP

tel: 713.722.7071 fax: 713.722.7072

Holste & Associates, Inc. MEP Engineers

PROJECT NAME



Cafe Express Restaurant PROJECT ADDRESS 3800 SW. Freeway, Suite 124

Houston, Texas 77027

PROJECT NUMBER SHEET NAME

SHEET NUMBER

**FLOOR PLAN**